

Showa 9 (1934)

Utility Model Application Publication No. 8525

Class 194

9. Electric Opening and Closing Device [Misc.]

Examination No.: Showa 9, No. 2052

Application Date: Showa 9, January 30

Publication Date: Showa 9, June 23

Inventor: Ebihara [??]

c/o Kabushiki Kaisha Hitachi Seisakusho Hitachi Kogyo  
No. 500 Oaza Miyata, Hitachi-cho, Taga-gun, Ibaragi-ken

Applicant: Kabushiki Kaisha Hitachi Seisakusho  
2-12 Marunouchi, Kojimachi-ku, Tokyo

Title: Safety Opening and Closing Device Linked to Lock/Key

**Brief Explanation of Drawings:**

Fig. 1 [is a cross section of] the device in the open position.

Fig. 2 is a cross section of the device in the closed position.

Fig. 3 is a lid-plate containing the key hole.

Fig. 4 is a plane view of the latch-piece for engaging the key.

Fig. 5 shows the order of operation of the device.

**What is claimed is:**

A safety opening and closing device linked to lock/key that, as described in the drawings, has a hole for engaging the shaft of key (12), and a key-latching piece (7) that is held in a specified position by [illegible] (10), and when turned at an angle by the key (12) being twisted, is held in the specified position as if being pressed down along with the key 12 being pressed down, and an opening and closing portion (9) that is fixed on an axis that does not turn, even though it can move in the axial direction, a key (12) that engages a key hole mounted on a fixed plate separate from the aforementioned key-latching piece (7), and the aforementioned key-latching piece (7) and the axis of the opening and closing portion (9) are only linked when it moves in the axial direction, and key-latching piece (7) is mounted / joined so that it can turn freely relative to the aforementioned axis.


[illegible]

株東式東京株式城株美  
代理市町資多  
理社日可社多  
入日町町資多  
立區廳案立郡  
辦製充九製日  
理作人內者作立  
土所內人內者作立  
內二丁目海工宮內五  
二式十海工宮內五  
番會番老番地  
地社地  
立製  
作製  
所製  
裏

實業新報 第五八五號 第四百九十四類 九：電氣開閉器雜





圖一第



圖二第

圖三第

圖四第



圖五第

